

## Author Index

- AGTERBERG, J. *see* BLEEKER, W.K.  
 ALARCON-SEGOVIA, D. *see* ALCOCER-VARELA, J.  
 ALARCON-SEGOVIA, D. *see* LOPEZ-KARPOVITCH, X.  
 ALBECK, M. *see* ALCOCER-VARELA, J.  
 ALCOCER-VARELA, J., ALARCON-SEGOVIA, D., SREDNI, B. & ALBECK, M.  
 Effect of the new immunoregulator AS-101 on *in vitro* functions of  
 mononuclear cells from patients with systemic lupus erythematosus,  
 319  
 AOTSUKA, S. *see* OKAWA-TAKATSUJI, M.  
 APPEL, S.H. *see* HERSMAN, M.J.  
 ARCHER, J.R. *see* MCLEAN, I.L.  
 ASANO, T. *see* OHGA, S.  
 AWADZI, K. *see* CHAN, C.C.  
  
 BACH, J.-F. *see* CAILLAT-ZUCMAN, S.  
 BADU, R. *see* CHAN, C.C.  
 BAGASRA, O. & FORMAN, I. Functional analysis of lymphocytes  
 subpopulations in experimental cocaine abuse. I Dose-dependent  
 activation of lymphocyte subsets, 289  
 BAKKER, J.C. *see* BLEEKER, W.K.  
 BALLESTRERO, A. *see* DALLEGRI, P.  
 BARRETT, K. *see* GRUBECK-LOEBENSTEIN, B.  
 BEATTIE, R. *see* WEBSTER, A.D.B.  
 BENUZZI, S. *see* SCHENA, F.P.  
 BERSTECHER, C. *see* HUGO, F.  
 BHAKDI, S. *see* HUGO, F.  
 BLACK, P.H. *see* WU, J.  
 BLAKE, H. *see* HANSEN, P.G.C.  
 BLEASEDALE-BARR, K.M. *see* DEVEY, M.E.  
 BLEEKER, W.K., AGTERBERG, J., RIGTER, G., VAN ROOIJEN, N. &  
 BAKKER, J.C. Key role of macrophages in hypotensive side effects of  
 immunoglobulin preparations. Studies in an animal model, 338.  
 BOEHME, M.W.J., KATAHA, P.K. & HOLBOROW, E.J. Autoantibodies to  
 intermediate filaments in sera of patients with *Schistosoma mansoni*  
 infection, 230  
 BOERSMA, W.J.A. *see* CLAASSEN, E.  
 BOLTON, A.E. *see* POCKLEY, A.G.  
 BOUTIN, Y., HEBERT, J., VRANCKEN, E.R. & MOURAD, W. Mapping of  
 cat albumin using monoclonal antibodies: identification of determi-  
 nants common to cat and dog, 440.  
 BOWLIN, T.L., ROSENBERGER, A.L. & MCKOWN, B.J. Alpha-difluoro-  
 methylornithine, an inhibitor of polyamine biosynthesis, augments  
 cyclosporin A inhibition of cytolytic T lymphocyte induction, 151  
 BRACH, M. *see* HERMANN, F.  
 BRADBURY, J. *see* DEVEY, M.E.  
 BREEDVELD, F.C. *see* UTERDIJK, H.G.  
 BRENNAN, F., PLATER-ZYBERK, C., MAINI, R.N. & FELDMANN, M.  
 Coordinate expansion of 'fetal type' lymphocyte (TCR  $\gamma\delta^+$  T and  
 CD5<sup>+</sup> B) in rheumatoid arthritis and primary Sjögren's syndrome,  
 175  
 BRESNIHAN, B. *see* COFFEY, M.  
 BROWN, D.B. *see* JAYASEKARA, S.  
 BROWN, E.C., KASP, E. & DUMONDE, D.C. Morphometric analysis of T  
 lymphocyte compartmentation in experimental autoimmune uveo-  
 retinitis, 422  
 BROWN, K.A., MCCARTHY, D., BULL, M., CHASTY, R.C. & DUMONDE,  
 D.C. Heat-induced aggregated human IgG modifies the adherence of  
 human polymorphonuclear cells to cultured endothelium, 356  
 BUCHAN, G. *see* GRUBECK-LOEBENSTEIN, B.  
 BULL, M. *see* BROWN, K.A.  
 BULMER, J.N. *see* RITSON, A.  
 BYFIELD, P.G.H. *see* CHAN, C.T.J.  
  
 CADRIEL, M. *see* LOPEZ-KARPOVITCH, X.  
 CAILLAT-ZUCMAN, S., CHATENOU, L. & BACH, J.-F. *In vitro* and *in vivo*  
 action of cyclosporin A on the induction of the interleukin-2 receptor  
 $\alpha$  and  $\beta$  chains, 184  
 CAMBRIDGE, G. *see* LE PAGE, S.H.  
 CAMPS, J.A.J. *see* HALMA, C.  
 CANNON, J.G. *see* KWIATKOWSKI, D.  
 CAPRON, A. *see* PHAM, B.N.  
 CARDENAS, R. *see* LOPEZ-KARPOVITCH, X.  
 CERAMI, A. *see* KWIATKOWSKI, D.  
 CERNY, A., KIMOTO, M., HUGIN, A.W., MERINO, R. & IZUI, S. Anti-IgM  
 treatment of C57BL/6 lpr/lpr mice: depletion of B cells reduces lpr  
 gene-induced lymphoproliferation and mononuclear cell vasculitis,  
 124  
 CERVERA, I. *see* ESPITIA, C.  
 CHAMPION, B.R. *see* CHAN, C.T.J.  
 CHAN, C.T.J., BYFIELD, P.G.H., CHAMPION, B.R. & HIMSWORTH, R.L.  
 Selective autoimmune response to the chicken-specific structure of  
 thyroglobulin in Obese strain chicken, 117  
 CHAN, C.C., OTTESEN, E.A., AWADZI, K., BADU, R. & NUSSENBLATT,  
 R.B. Immunopathology of ocular onchocerciasis. I. Inflammatory  
 cells infiltrating the anterior segment, 367  
 CHANTRY, D. *see* GRUBECK-LOEBENSTEIN, B.  
 CHASTY, R.C. *see* BROWN, K.A.  
 CHATENOU, L. *see* CAILLAT-ZUCMAN, S.  
 CHAVANCE, M., MONPLAISIR, N., VALETTE, I., SCHAFFAR-DESHAYES, L.  
 & RAFFOUX, C. Anti-HTLV-I antibodies and HLA phenotypes in the  
 West Indies, 11  
 CHESTERMAN, C.N. *see* MACPHERSON, J.L.  
 CHUBACHI, A. *see* HIROKAWA, M.  
 CLAASSEN, E., OTT, A., BOERSMA, W.J.A., DEEN, C., SCHELLEKENS,  
 M.M., DIJKSTRA, C.D., KORS, N. & VAN ROOIJEN, N. Marginal zone  
 of the murine spleen in autotransplants: functional and histological  
 observations in the response against a thymus-independent type 2  
 antigen, 445  
 CLANCY, R.L. *see* HANSEN, P.G.C.  
 CLARK, F. *see* DEVEY, M.E.  
 COBBOLD, S. *see* KONG, Y.M.  
 COFFEY, M., HASSAN, J., FEIGHERY, C., FITZGERALD, M. & BRESNIHAN,  
 B. Rheumatoid factors in cystic fibrosis: associations with disease  
 manifestations and recurrent bacterial infections, 52  
 COHEN, S.B. *see* WEETMAN, A.P.  
 COLSON, Y.L., MARKUS, B.H., ZEEVI, A. & DUQUESNOY, R.J. Adherence  
 of alloreactive lymphocytes to human arterial endothelial cell mono-  
 layers, 206  
 CONTENT, J. *see* DEVIERE, J.  
 COURTEAU, M. *see* HARADA, T.  
 CRABTREE, J.E., HEATLEY, R.V., LUBY, J.D., HOWDLE, P.D. &  
 LOSOWSKY, M.S. Serum interleukin-2-receptor in coeliac disease:  
 response to treatment and gluten challenge, 345  
 CRIPPS, A.W. *see* HANSEN, P.G.C.  
 CROCKER, J. Review. Proliferation indices in malignant lymphomas, 299  
  
 DAHA, M.R. *see* HALMA, C.  
 DALLEGRI, P., BALLESTRERO, A., OTTONELLO, L. & PATRONE, F.  
 Defective antibody-dependent tumour cell lysis by neutrophils from  
 cancer patients, 58  
 DEEN, C. *see* CLAASSEN, E.  
 DEGUCHI, Y., NEGORO, S., HARA, H., HOSOKAWA, T. & KISHIMOTO, S.  
 C-myc gene binding factors in peripheral blood mononuclear cells  
 from patients with systemic lupus erythematosus (SLE), 157  
 DEMAINE, A.G., RATANACHAIYAVONG, S., POPE, R., EWINS, D., MILL-  
 WARDS, B.A. & MCGREGOR, A.M. Thyroglobulin antibodies in  
 Graves' disease are associated with T-cell receptor beta chain and  
 major histocompatibility complex loci, 21  
 DENYS, C. *see* DEVIERE, J.  
 DESSAINT, J.P. *see* PHAM, B.N.  
 DEVEY, M.E., BLEASEDALE-BARR, K.M., MCLACHLAN, S.M., BRAD-  
 BURY, J., CLARK, F. & YOUNG, E.T. Serial studies on the affinity and  
 heterogeneity of human autoantibodies to thyroglobulin, 191  
 DEVIERE, J., CONTENT, J., DENYS, C., VANDENBUSSCHE, P., WYBRAN, J. &

## Author Index

- AGTERBERG, J. *see* BLEEKER, W.K.  
 ALARCON-SEGOVIA, D. *see* ALCOCER-VARELA, J.  
 ALARCON-SEGOVIA, D. *see* LOPEZ-KARPOVITCH, X.  
 ALBECK, M. *see* ALCOCER-VARELA, J.  
 ALCOCER-VARELA, J., ALARCON-SEGOVIA, D., SREDNI, B. & ALBECK, M.  
 Effect of the new immunoregulator AS-101 on *in vitro* functions of  
 mononuclear cells from patients with systemic lupus erythematosus,  
 319  
 AOTSUKA, S. *see* OKAWA-TAKATSUJI, M.  
 APPEL, S.H. *see* HERSMAN, M.J.  
 ARCHER, J.R. *see* MCLEAN, I.L.  
 ASANO, T. *see* OHGA, S.  
 AWADZI, K. *see* CHAN, C.C.  
  
 BACH, J.-F. *see* CAILLAT-ZUCMAN, S.  
 BADU, R. *see* CHAN, C.C.  
 BAGASRA, O. & FORMAN, I. Functional analysis of lymphocytes  
 subpopulations in experimental cocaine abuse. I Dose-dependent  
 activation of lymphocyte subsets, 289  
 BAKKER, J.C. *see* BLEEKER, W.K.  
 BALLESTRERO, A. *see* DALLEGRI, P.  
 BARRETT, K. *see* GRUBECK-LOEBENSTEIN, B.  
 BEATTIE, R. *see* WEBSTER, A.D.B.  
 BENUZZI, S. *see* SCHENA, F.P.  
 BERSTECHER, C. *see* HUGO, F.  
 BHAKDI, S. *see* HUGO, F.  
 BLACK, P.H. *see* WU, J.  
 BLAKE, H. *see* HANSEN, P.G.C.  
 BLEASEDALE-BARR, K.M. *see* DEVEY, M.E.  
 BLEEKER, W.K., AGTERBERG, J., RIGTER, G., VAN ROOIJEN, N. &  
 BAKKER, J.C. Key role of macrophages in hypotensive side effects of  
 immunoglobulin preparations. Studies in an animal model, 338.  
 BOEHME, M.W.J., KATAHA, P.K. & HOLBOROW, E.J. Autoantibodies to  
 intermediate filaments in sera of patients with *Schistosoma mansoni*  
 infection, 230  
 BOERSMA, W.J.A. *see* CLAASSEN, E.  
 BOLTON, A.E. *see* POCKLEY, A.G.  
 BOUTIN, Y., HEBERT, J., VRANCKEN, E.R. & MOURAD, W. Mapping of  
 cat albumin using monoclonal antibodies: identification of determi-  
 nants common to cat and dog, 440.  
 BOWLIN, T.L., ROSENBERGER, A.L. & MCKOWN, B.J. Alpha-difluoro-  
 methylornithine, an inhibitor of polyamine biosynthesis, augments  
 cyclosporin A inhibition of cytolytic T lymphocyte induction, 151  
 BRACH, M. *see* HERMANN, F.  
 BRADBURY, J. *see* DEVEY, M.E.  
 BREEDVELD, F.C. *see* UTERDIJK, H.G.  
 BRENNAN, F., PLATER-ZYBERK, C., MAINI, R.N. & FELDMANN, M.  
 Coordinate expansion of 'fetal type' lymphocyte (TCR  $\gamma\delta^+$  T and  
 CD5<sup>+</sup> B) in rheumatoid arthritis and primary Sjögren's syndrome,  
 175  
 BRESNIHAN, B. *see* COFFEY, M.  
 BROWN, D.B. *see* JAYASEKARA, S.  
 BROWN, E.C., KASP, E. & DUMONDE, D.C. Morphometric analysis of T  
 lymphocyte compartmentation in experimental autoimmune uveo-  
 retinitis, 422  
 BROWN, K.A., MCCARTHY, D., BULL, M., CHASTY, R.C. & DUMONDE,  
 D.C. Heat-induced aggregated human IgG modifies the adherence of  
 human polymorphonuclear cells to cultured endothelium, 356  
 BUCHAN, G. *see* GRUBECK-LOEBENSTEIN, B.  
 BULL, M. *see* BROWN, K.A.  
 BULMER, J.N. *see* RITSON, A.  
 BYFIELD, P.G.H. *see* CHAN, C.T.J.  
  
 CADRIEL, M. *see* LOPEZ-KARPOVITCH, X.  
 CAILLAT-ZUCMAN, S., CHATENOU, L. & BACH, J.-F. *In vitro* and *in vivo*  
 action of cyclosporin A on the induction of the interleukin-2 receptor  
 $\alpha$  and  $\beta$  chains, 184  
  
 CAMBRIDGE, G. *see* LE PAGE, S.H.  
 CAMPS, J.A.J. *see* HALMA, C.  
 CANNON, J.G. *see* KWIATKOWSKI, D.  
 CAPRON, A. *see* PHAM, B.N.  
 CARDENAS, R. *see* LOPEZ-KARPOVITCH, X.  
 CERAMI, A. *see* KWIATKOWSKI, D.  
 CERNY, A., KIMOTO, M., HUGIN, A.W., MERINO, R. & IZUI, S. Anti-IgM  
 treatment of C57BL/6 lpr/lpr mice: depletion of B cells reduces lpr  
 gene-induced lymphoproliferation and mononuclear cell vasculitis,  
 124  
 CERVERA, I. *see* ESPITIA, C.  
 CHAMPION, B.R. *see* CHAN, C.T.J.  
 CHAN, C.T.J., BYFIELD, P.G.H., CHAMPION, B.R. & HIMSWORTH, R.L.  
 Selective autoimmune response to the chicken-specific structure of  
 thyroglobulin in Obese strain chicken, 117  
 CHAN, C.C., OTTESEN, E.A., AWADZI, K., BADU, R. & NUSSENBLATT,  
 R.B. Immunopathology of ocular onchocerciasis. I. Inflammatory  
 cells infiltrating the anterior segment, 367  
 CHANTRY, D. *see* GRUBECK-LOEBENSTEIN, B.  
 CHASTY, R.C. *see* BROWN, K.A.  
 CHATENOU, L. *see* CAILLAT-ZUCMAN, S.  
 CHAVANCE, M., MONPLAISIR, N., VALETTE, I., SCHAFFAR-DESHAYES, L.  
 & RAFFOUX, C. Anti-HTLV-I antibodies and HLA phenotypes in the  
 West Indies, 11  
 CHESTERMAN, C.N. *see* MACPHERSON, J.L.  
 CHUBACHI, A. *see* HIROKAWA, M.  
 CLAASSEN, E., OTT, A., BOERSMA, W.J.A., DEEN, C., SCHELLEKENS,  
 M.M., DIJKSTRA, C.D., KORS, N. & VAN ROOIJEN, N. Marginal zone  
 of the murine spleen in autotransplants: functional and histological  
 observations in the response against a thymus-independent type 2  
 antigen, 445  
 CLANCY, R.L. *see* HANSEN, P.G.C.  
 CLARK, F. *see* DEVEY, M.E.  
 COBBOLD, S. *see* KONG, Y.M.  
 COFFEY, M., HASSAN, J., FEIGHERY, C., FITZGERALD, M. & BRESNIHAN,  
 B. Rheumatoid factors in cystic fibrosis: associations with disease  
 manifestations and recurrent bacterial infections, 52  
 COHEN, S.B. *see* WEETMAN, A.P.  
 COLSON, Y.L., MARKUS, B.H., ZEEVI, A. & DUQUESNOY, R.J. Adherence  
 of alloreactive lymphocytes to human arterial endothelial cell mono-  
 layers, 206  
 CONTENT, J. *see* DEVIERE, J.  
 COURTEAU, M. *see* HARADA, T.  
 CRABTREE, J.E., HEATLEY, R.V., LUBY, J.D., HOWDLE, P.D. &  
 LOSOWSKY, M.S. Serum interleukin-2-receptor in coeliac disease:  
 response to treatment and gluten challenge, 345  
 CRIPPS, A.W. *see* HANSEN, P.G.C.  
 CROCKER, J. Review. Proliferation indices in malignant lymphomas, 299  
  
 DAHA, M.R. *see* HALMA, C.  
 DALLEGRI, P., BALLESTRERO, A., OTTONELLO, L. & PATRONE, F.  
 Defective antibody-dependent tumour cell lysis by neutrophils from  
 cancer patients, 58  
 DEEN, C. *see* CLAASSEN, E.  
 DEGUCHI, Y., NEGORO, S., HARA, H., HOSOKAWA, T. & KISHIMOTO, S.  
 C-myc gene binding factors in peripheral blood mononuclear cells  
 from patients with systemic lupus erythematosus (SLE), 157  
 DEMAINE, A.G., RATANACHAIYAVONG, S., POPE, R., EWINS, D., MILL-  
 WARDS, B.A. & MCGREGOR, A.M. Thyroglobulin antibodies in  
 Graves' disease are associated with T-cell receptor beta chain and  
 major histocompatibility complex loci, 21  
 DENYS, C. *see* DEVIERE, J.  
 DESSAINT, J.P. *see* PHAM, B.N.  
 DEVEY, M.E., BLEASEDALE-BARR, K.M., MCLACHLAN, S.M., BRAD-  
 BURY, J., CLARK, F. & YOUNG, E.T. Serial studies on the affinity and  
 heterogeneity of human autoantibodies to thyroglobulin, 191  
 DEVIERE, J., CONTENT, J., DENYS, C., VANDENBUSSCHE, P., WYBRAN, J. &

- DUPONT, E. High interleukin-6 serum levels and increased production by leucocytes in alcoholic liver cyrrhosis. Correlation with IgA serum levels and lymphokines production, 221
- DEVULDER, B. *see* PHAM, B.N.
- DIERICH, M.P. *see* STAUDER, R.
- DIJKSTRA, C.D. *see* CLAASSEN, E.
- DINARELLO, C.A. *see* KWIATKOWSKI, D.
- DONOSO, L.A. *see* HIROSE, S.
- DUMONDE, D.C. *see* BROWN, K.A.
- DUMONDE, D.C. *see* BROWN, E.C.
- DUPONT, E. *see* DEVIERE, J.
- DUQUESNOY, R.J. *see* COLSON, Y.L.
- EARL, J.W. *see* MACPHERSON, J.L.
- EAVES, J. *see* MORGAN, A.
- EGUCHI, K. *see* MIGITA, K.
- ESPITIA, C., CERVERA, I., GONZALES, R. & MANCILLA, R. A 38-kD *Mycobacterium tuberculosis* antigen associated with infection. Its isolation and serologic evaluation, 373
- ESPITIA, C. & MANCILLA, R. Identification, isolation and partial characterization of *Mycobacterium tuberculosis* glycoprotein antigens, 378
- EVERS-SCHOUTEN, J.A. *see* HALMA, C.
- EWINS, D. *see* DEMAINE, A.G.
- FASSBENDER, W. *see* HUGO, F.
- FEIGHERTY, D. *see* COFFEY, M.
- FELDMANN, M. *see* BRENNAN, F.
- FELDMANN, M. *see* GRUBECK-LOEBENSTEIN, B.
- FINE, P.E.M., GRUER, P.J.K., MAINE, N., PONNINGHAUS, J.M., REES, R.J.W. & STANFORD, J.L. Failure of *Mycobacterium leprae* soluble antigens to suppress delayed-type hypersensitivity reaction to tuberculin, 226
- FITZGERALD, M. *see* COFFEY, M.
- FORMAN, I. *see* BAGASRA, O.
- FULLER, B.E. *see* KONG, Y.M.
- GARTSIDE, P.S. *see* YAMASHITA, W.
- DE GAST, G.C. *see* GRATAMA, J.W.
- GATTRINGER, C. *see* STAUDER, R.
- GEBAUER, G. *see* HERMANN, F.
- GENE, N. *see* STRUHAR, D.J.
- GERY, I. *see* HIROSE, S.
- GIRALDO, A.A. *see* KONG, Y.M.
- GOLDSTEIN, R. *see* KARSH, J.
- GONZALES, R. *see* ESPITIA, C.
- GOSSET, D. *see* PHAM, B.N.
- GRATAMA, J.W., LANGELAAR, R.A., OOSTERVEER, M.A.P., VAN DER LINDEN, J.P., DEN OUDEN-NOORDERMEER, A., NAIPAL, A.M.I.H., VISSER, J.W.M., DE GAST, G.C. & TANKE, H.J. Phenotypic study of CD4<sup>+</sup> and CD8<sup>+</sup> lymphocyte subsets in relation to cytomegalovirus carrier status and its correlate with pokeweed mitogen-induced B lymphocyte differentiation, 245
- GREENWOOD, B.M. *see* KWIATKOWSKI, D.
- GREIL, R. *see* STAUDER, R.
- GRUBECK-LOEBENSEIN, B., BUCHAN, G., CHANTRY, D., KASSAL, H., LONDEI, M., PIRICH, K., BARRETT, K., TURNER, M., WALDHAUSL, W. & FELDMANN, M. Analysis of intrathyroidal cytokine production in thyroid autoimmune disease: thyroid follicular cells produce interleukin 1 $\alpha$  and interleukin-6, 32
- GRUER, P.J.K. *see* FINE, P.E.M.
- GWYN WILLIAMS, D. *see* HARADA, T.
- HALMA, C., DAHA, M.R., VAN FURTH, R., CAMPS, J.A.J., EVERS-SCHOUTEN, J.A., PAUWELS, E.K.J., LOBATO, S. & VAN ES, L.A. Elimination of soluble <sup>125</sup>I-labelled aggregates of human immunoglobulin G in humans; the effect of splenectomy, 62
- HANSEN, P.G.C., HENNESSY, E.J., BLAKE, H., CLANCY, R.L., KAMATH, R., MOLENAAR, C., CRIPPS, A.W. & JACKSON, G.D.F. Appearance of IgG and IgA antibodies in human bile after tetanus toxoid immunization, 215
- HARA, H. *see* DEGUCHI, Y.
- HARA, M. *see* KITANI, A.
- HARADA, T., HOBBY, P., COURTEAU, M., KNIGHT, J.F. & GWYN WILLIAMS, D. Charge distribution of plasma IgA in IgA nephropathy, 211
- HARBECK, R.J. *see* STRUHAR, D.J.
- HARIGAI, M. *see* KITANI, A.
- HASSAN, J. *see* COFFEY, M.
- HATRON, P.Y. *see* PHAM, B.N.
- HAYASHI, Y., HIYOSHI, T., TAKEMURA, T., KURASHIMA, C. & HIROKAWA, R. Focal lymphocytic infiltration in the adrenal cortex of the elderly: immunohistological analysis of infiltrating lymphocytes, 101
- HEATLEY, R.V. *see* CRABTREE, J.E.
- HEBERT, J. *see* BOUTIN, Y.
- HELLSTRAND, K. & HERMONDSSON, S. Interleukin-2 can induce suppression of human natural killer cell cytotoxicity, 410
- HENNESSY, E.J. *see* HANSEN, P.G.C.
- HERMANN, P., GEBAUER, G., LINDEMANN, A., BRACH, M. & MERTELSMANN, R. Interleukin-2 and interferon-gamma recruit different subsets of human peripheral blood monocytes to secrete interleukin-1 beta and tumour necrosis factor-alpha, 97
- HERMONDSSON, S. *see* HELLSTRAND, K.
- HERSMAN, M.J., APPEL, S.H., WELLHAUSEN, S.R., SONNENFELD, G. & POLK, H.C. JR. Interferon-gamma treatment increases HLA-DR expression on monocytes in severely injured patients, 67
- HESSIAN, P.A., HIGHTON, J. & PALMER, D.G. Quantification of macrophage cell surface molecules in rheumatoid arthritis, 47
- HIGHTON, J. *see* HESSIAN, P.A.
- HIMSWORTH, R.L. *see* CHAN, C.T.J.
- HIRABAYASHI, Y. *see* SASAKI, T.
- HIROKAWA, R. *see* HAYASHI, Y.
- HIROKAWA, M., TAKATSU, H., OSHIMA, A., CHUBACHI, A., KUDO, K., NIITSU, H., TAKAHASHI, T., YOSHIDA, K. & MIURA, A.B. Lymphokine activity production in graft-versus-host reactions across minor histocompatibility antigen barriers, 434
- HIROSE, W. *see* KITANI, A.
- HIROSE, S., SINGH, V.K., DONOSO, L.A., SHINOHARA, T., KOTAKE, S., TANAKA, T., KUWABARA, T., YAMAKI, K., GERY, I. & NUSSENBLATT, R.B. An 18-mer peptide derived from the retinal S antigen induces uveitis and pinealitis in primates, 106
- HIYOSHI, T. *see* HAYASHI, Y.
- HOBBY, P. *see* HARADA, T.
- HOLBOROW, E.J. *see* BOEHME, M.W.J.
- HOMIK, J. *see* WARRINGTON, R.J.
- HOSOKAWA, T. *see* DEGUCHI, Y.
- HOWDLE, P.D. *see* CRABTREE, J.E.
- HSU, A. *see* YAMASHITA, W.
- HUBER, H. *see* STAUDER, R.
- HUGIN, A.W. *see* CERNY, A.
- HUGO, F., BERSTECHE, C., KRAMER, S., FASSBENDER, W. & BHAKDI, S. *In vivo* clearance studies of the terminal fluid-phase complement complex in rabbits, 112
- HUNJAN, M. *see* MA, J. K-C.
- ISHIKAWA, N. *see* MIGITA, K.
- ITO, K. *see* MIGITA, K.
- IZUI, S. *see* CERNY, A.
- JACKSON, G.D.F. *see* HANSEN, P.G.C.
- JAYASEKARA, S., SHARMA, R.P. & BROWN, D.B. Immunotoxic potential of *N*-ethyl, *N*-nitrosourea (ENU) in CD1 mice, 294
- KABIR, S. & WIGZELL, H. A novel urinary sialoglycoprotein as the inhibitor of interleukin-1, 89
- KAMATH, R. *see* HANSEN, P.G.C.
- KASP, E. *see* BROWN, E.C.
- KASSAL, H. *see* GRUBECK-LOEBENSTEIN, B.
- KATAAHA, P.K. *see* BOEHME, M.W.J.
- KAWAKAMI, M. *see* KITANI, A.
- KAWAKAMI, A. *see* MIGITA, K.
- KAWAGOE, M. *see* KITANI, A.
- KELLY, C.D., RUSSO, C.M., RUBIN, B.Y. & MURRAY, H.W. Antigen-stimulated human interferon-gamma generation: role of accessory cells and their expressed or secreted products, 397
- KEMP, A. *see* MACPHERSON, J.L.
- KIDD, P.G. *see* WILLIAMS, M.L.
- KIM, H.C. *see* RASKA, K.

- KIMOTO, M. *see* CERNY, A.  
 KINOSHITA, M. *see* OKAWA-TAKATSUI, M.  
 KIRSHNAN, N. *see* LAL, R.B.  
 KISHIHARA, K. *see* OHGA, S.  
 KISHIMOTO, S. *see* DEGUCHI, Y.  
 KITANI, A., HARA, M., HIROSE, T., NORIOKA, K., HARIGAI, M., HIROSE, W., SUZUKI, K., KAWAKAMI, M., KAWAGOE, M. & NAKAMURA, H. Heterogeneity of B cell responsiveness to interleukin 4, interleukin 6 and low molecular weight B cell growth factor in discrete stages of B cell activation in patients with systemic lupus erythematosus, 31  
 KNIGHT, J.F. *see* HARADA, T.  
 KONG, Y.M., WALDMANN, H., COBBOLD, S., GIRALDO, A.A., FULLER, B.E. & SIMON, L.L. Pathogenic mechanisms in murine autoimmune thyroiditis: short- and long-term effects in *in vivo* depletion of CD4<sup>+</sup> and CD8<sup>+</sup> cells, 428  
 KORS, N. *see* CLAASSEN, E.  
 KOTAKE, S. *see* HIROSE, S.  
 KRAMER, S. *see* HUGO, F.  
 KRILIS, S.A. *see* MACPHERSON, J.L.  
 KROHN, K. *see* UIBO, R.  
 KUDO, K. *see* HIROKAWA, M.  
 KUMARASWAMI, V. *see* LAL, R.B.  
 KUPFER, B. *see* SIROTA, L.  
 KURASHIMA, C. *see* HAYASHI, Y.  
 KUWABARA, T. *see* HIROSE, S.  
 KAWADA, H. *see* STRUHAR, D.J.  
 KWIAKOWSKI, D., CANNON, J.G., MANOGUE, K.R., CERAMI, A., DINARELLO, C.A. & GREENWOOD, B.M. Tumour necrosis factor production in *Falciparum* malaria and its association with schizont rupture, 361  
 KARSH, J., GOLDSTEIN, R. & LAZAROVITS A.I. *In vitro* IgM and IgM rheumatoid factor production in response to *Staphylococcus aureus* Cowan I and pokeweed mitogen: the contribution of CD5<sup>+</sup> (Leu 1) B cells, 179  
 LAL, R.B., KUMARASWAMI, V., KIRSHNAN, N., NUTMAN, T.B. & OTTESSEN, E.A. Lymphocyte subpopulation in Bancroftian filariasis: activated (DR<sup>+</sup>)CD8<sup>+</sup> T cells in patients with chronic lymphatic obstruction, 77  
 LAMMAS, A.D., MITCHELL, L.A. & WAKELIN, D. Genetic control of eosinophilia. Analysis of production and response to eosinophil-differentiating factor in strains of mice infected with *Trichinella spiralis*, 137  
 LANGELAAR, R.A. *see* GRATAMA, J.W.  
 LAZAROVITS, A.I. *see* KARSH, J.  
 LE PAGE, S.H., WILLIAMS, W., PARKHOUSE, D., CAMBRIDGE, G., MACKENZIE, L. & LYDYARD, P.M. Relation between lymphocytotoxic antibodies, anti-DNA antibodies and a common anti-DNA antibody idiotype PR4 in patients with systemic lupus erythematosus, their relatives and spouses, 314  
 LEHNER, T. *see* MA, J. K-C.  
 LEVER, A. *see* WEBSTER, A.D.B.  
 LEVY, E.M. *see* WU, J.  
 LINDEMANN, A. *see* HERMANN, F.  
 VAN DER LINDEN, J.P. *see* GRATAMA, J.W.  
 LOBATTO, S. *see* HALMA, C.  
 LONDEI, M. *see* GRUBECK-LOEBENSTEIN, B.  
 LOPEZ-KARPOVITCH, X., CADRIEL, M., CARDENAS, R., PIEDRAS, J. & ALARCON-SEGOWIA, D. Circulating colony-forming units of granulocytes and monocytes/macrophages in systemic lupus erythematosus, 43  
 LOSOWSKY, M.S. *see* CRABTREE, J.E.  
 LOUGHRAN, T.P., JR *see* WILLIAMS, M.L.  
 LUBY, J.D. *see* CRABTREE, J.E.  
 LUDOVICO, N. *see* SCHENA, F.P.  
 LYDYARD, P.M. *see* LE PAGE, S.H.  
 MA, J. K-C., HUNJAN, M., SMITH, R. & LEHNER, T. Specificity of monoclonal antibodies in local passive immunization against *Streptococcus mutans*, 331  
 MCCARTHY, E.P. *see* YAMASHITA, W.  
 MACKENZIE, L. *see* LE PAGE, S.H.  
 MACPHERSON, J.L., KEMP, A., ROGERS, M., MALLET, A.I., TOIA, R.F., SPUR, B., EARL, J.W., CHESTERMAN, C.N. & KRILIS, S.A. Occurrence of platelet-activating factor (PAF) and an endogenous inhibitor of platelet aggregation in diffuse cutaneous mastocytosis, 391  
 MAINE, M. *see* FINE, P.E.M.  
 MAINI, R.N. *see* BRENNAN, F.  
 MALKOVSKA, V. *see* MORGAN, A.  
 MALLET, A.I. *see* MACPHERSON, J.L.  
 MANCILLA, R. *see* ESPITIA, C.  
 MANOGUE, K.R. *see* KWIAKOWSKI, D.  
 MARKUS, B.H. *see* COLSON, Y.L.  
 MARTIN, E. *see* RASKA, K. JR  
 MASON, R.J. *see* STRUHAR, D.J.  
 MATSUNAGA, M. *see* MIGITA, K.  
 MATSUZAKI, G. *see* OHGA, S.  
 MCCARTHY, D. *see* BROWN, K.A.  
 MCGREGOR, A.M. *see* DEMAINE, A.G.  
 MCKOWN, B.J. *see* BOWLIN, T.L.  
 McLACHLAN, S.M. *see* DEVEY, M.E.  
 McLEAN, I.L., PERRETT, D., WINROW, V.R. & ARCHER, J.R. Status of an unpaired thiol group on the HLA-B27 epitope, 417  
 MERINO, R. *see* CERNY, A.  
 MERTELSMANN, R. *see* HERMANN, F.  
 MIGITA, K., EGUCHI, K., TEZUK, H., OTSUBO, T., KAWAKAMI, A., NAKAO, H., UEKI, Y., SHIMOMURA, C., MATSUNAGA, M., ISHIKAWA, N., ITO, K. & NAGATAKI, S. Cytotoxic activity of interleukin-2 (IL-2) activated killer cell toward thyroid epithelial cells, 196  
 MILLWADS, B.A. *see* DEMAINE, A.G.  
 MITCHELL, L.A. *see* LAMMAS, D.A.  
 MIURA, A.B. *see* HIROKAWA, M.  
 MOCKFORD, J.W. *see* MORGAN, A.  
 MOLENAAR, C. *see* HANSEN, P.G.C.  
 MONPLAISIR, N. *see* CHAVANCE, M.  
 MONTINARO, V. *see* SCHENA, F.P.  
 MORGAN, B.P. *see* WEETMAN, A.P.  
 MORGAN, A., EAVES, J., MOCKFORD, J.W. & MALKOVSKA, V. Impaired mitogen responses of the non-leukaemic B cells from patients with chronic lymphocytic leukaemia, 239  
 MOROZ, C. *see* SIROTA, L.  
 MOULDER, K. & STEWARD, M.W. Experimental zinc deficiency: effects on cellular responses and the affinity of humoral antibody, 269  
 MOULDER, K. & STEWARD, M.W. Capillary-localized low-affinity antibody-antigen complexes act as a focus for the deposition of high affinity complexes, 275  
 MOURAD, W. *see* BOUTIN, Y.  
 MURRAY, H.W. *see* KELLY, C.D.  
 NAGATAKI, S. *see* MIGITA, K.  
 NAIPAL, A.M.I.H. *see* GRATAMA, J.W.  
 NAKAMURA, H. *see* KITANI, A.  
 NAKAO, H. *see* MIGITA, K.  
 NEGORO, S. *see* DEGUCHI, Y.  
 NOMOTO, K. *see* OHGA, S.  
 NORIOKA, K. *see* KITANI, A.  
 NORTH, M. *see* WEBSTER, A.D.B.  
 NUSSENBLATT, R.B. *see* CHAN, C.C.  
 NUSSENBLATT, R.B. *see* HIROSE, S.  
 NUTMAN, T.B. *see* LAL, R.B.  
 OFOSU-APPIAH, W. *see* WARRINGTON, R.J.  
 OHGA, S., YOSHIKAI, Y., KISHIHARA, K., MATSUZAKI, G., ASANO, T. & NOMOTO, K. Expression and sequences of T cell receptor  $\beta$ -chain variable genes in the enlarged lymph nodes of C57BL/6-lpr/lpr mice, 130  
 OHSHIMA, A. *see* HIROKAWA, M.  
 OKAWA-TAKATSUI, M., AOTSUKA, S., UWATOKO, S., KINOSHITA, M. & YOKOHARI, R. Monocyte-mediated suppression of anti-DNA antibody production in healthy subjects, 403  
 OLESKY, D.A. *see* WEETMAN, A.P.  
 Ooi, B.S. *see* YAMASHITA, W.  
 OOSTERVEER, M.A.P. *see* GRATAMA, J.W.  
 OTSUBO, T. *see* MIGITA, K.  
 OTT, A. *see* CLAASSEN, E.  
 OTTESSEN, E.A. *see* CHAN, C.C.  
 OTTESSEN, E.A. *see* LAL, R.B.  
 OTTONELLO, L. *see* DALLEGRI, P.



DEN OUDEN-NOORDERMEER, A. *see* GRATAMA, J.W.

PALMER, D.G. *see* HESSIAN, P.A.

PARKHOUSE, D. *see* LE PAGE, S.H.

PASTORE, A. *see* SCHENA, F.P.

PATRONE, F. *see* DALLEGRI, P.

PAUWELS, E.K.J. *see* HALMA, C.

PERRETT, D. *see* MCLEAN, I.L.

PHAM, B.N., PRIN, L., GOSSET, D., HATRON, P.Y., DEVULDER, B., CAPTRON, A. & DESSAINT, J.P. T lymphocyte activation in systemic lupus erythematosus analysed by proliferative response to nucleoplasmic proteins on nitrocellulose immunoblots, 168

PIEDRAS, J. *see* LOPEZ-KARPOVITCH, X.

PIRICH, K. *see* GRUBECK-LOEBENSTEIN, B.

PLATER-ZYBERK, C. *see* BRENNAN, F.

POCKLEY, A.G. & BOLTON, A.E. Placental protein 14 (PP14) inhibits the synthesis of interleukin-2 and the release of soluble interleukin-2 receptors from phytohaemagglutinin-stimulated lymphocytes, 252

POLK, H.C. JR *see* HERSMANN, M.J.

PONNINGHAUS, J.M. *see* FINE, P.E.M.

POPE, R. *see* DEMAINE, A.G.

PRIN, L. *see* PHAM, B.N.

RADASKIEWICZ, T. *see* STAUDER, R.

RAFFOUX, C. *see* CHAVANCE, M.

RASKA, K. III, *see* RAŠKA, K. JR

RAŠKA, H. JR, KIM, H.C., RAŠKA, K. III, MARTIN, E., RASKOVA, J. & SAIDI, P. Human immunodeficiency virus (HIV) infection in haemophiliacs: long-term prognostic significance of the HIV serologic pattern, 1

RASKOVA, J. *see* RAŠKA, K. JR

RATANACHAIYAVONG, S. *see* DEMAINE, A.G.

REES, R.J.W. *see* FINE, P.E.M.

RIGTER, G. *see* BLEEKER, W.K.

RITSON, A. & BULMER, J.N. Isolation and functional studies of granulated lymphocytes in first trimester human decidua, 263

ROGERS, M. *see* MACPHERSON, J.L.

VAN ROOIJEN, N. *see* BLEEKER, W.K.

VAN ROOIJEN, N. *see* CLAASSEN, E.

ROSENBERGER, A.L. *see* BOWLIN, T.L.

RUBIN, B.Y. *see* KELLY, C.D.

RUSSO, C.M. *see* KELLY, C.D.

SAIDI, P. *see* RAŠKA, K. JR

SASAKI, T., SHIBATA, Y., HIRABAYASHI, Y., SEKIGUCHI, Y. & YOSHINAGA, K. Accessory cell activity of monocytes in anti-DNA antibody production in systemic lupus erythematosus, 37

SAUDER, P.J. *see* WARRINGTON, R.J.

SCHAFFAR-DESHAYES, L. *see* CHAVANCE, M.

SCHELLEKENS, M.M. *see* CLAASSEN, E.

SCHENA, F.P., PASTORE, A., LUDOVICO, N., SINICO, R.A., BENUZZI, S. & MONTINARO, V. Increased serum levels of IgA-IgG immune complexes and anti-F(ab')<sub>2</sub> antibodies in patients with primary IgA nephropathy, 15

SCHULZ, T.F. *see* STAUDER, R.

SEKIGUCHI, Y. *see* SASAKI, T.

SHARMA, R.P. *see* JAYASEKARA, S.

SHIBATA, S. *see* SASAKI, T.

SHIMOMURA, C. *see* MIGITA, K.

SHINOHARA, T. *see* HIROSE, S.

SIMON, L.L. *see* KONG, Y.M.

SINGH, V.K. *see* HIROSE, S.

SINICO, R.A. *see* SCHENA, F.P.

SIROTA, L., KUPFER, B. & MOROZ, C. Placental isoferritin as a physiological downregulator of cellular immunoreactivity during pregnancy, 257

SMITH, R. *see* MA, J. K.-C.

SONNENFELD, G. *see* HERSMANN, M.J.

SPICKETT, G. *see* WEBSTER, A.D.B.

SPUR, B. *see* MACPHERSON, J.L.

SREDNI, B. *see* ALCOCER-VARELA, J.

STANFORD, J.L. *see* FINE, P.E.M.

STARKEBAUM, G.A. *see* WILLIAMS, M.L.

STAUDER, R., GREIL, R., SCHULZ, T.F., THALER, J., GATTRINGER, C., RADASKIEWICZ, T., DIERICH, M.P. & HUBER, H. Expression of

leucocyte function-associated antigen-1 and 7F7-antigen, an adhesion molecule related to the intercellular adhesion molecule-1 (ICAM-1) in non-Hodgkin lymphomas and leukaemias: possible influence on growth factor pattern and leukaemic behaviour, 234

STEWART, M.W. *see* MOULDER, K.

STRUHAR, D.J., HARBECK, R.J., GEGEN, N., KAWADA, H. & MASON, R.J. Increased expression of class II antigens of the major histocompatibility complex on alveolar macrophages and alveolar type II cells and interleukin-1 (IL-1) secretion from alveolar macrophages in an animal model of silicosis, 281

SUZUKI, K. *see* KITANI, A.

TAKATSU, H. *see* HIROKAWA, M.

TAKEMURA, T. *see* HAYASHI, Y.

TAMM, A. *see* UIBO, R.

TAMMUR, R. *see* UIBO, R.

TANAKA, T. *see* HIROSE, S.

TANKE, H.J. *see* GRATAMA, J.W.

TEZUKA, H. *see* MIGITA, K.

THALER, J. *see* STAUDER, R.

THORPE, R. *see* WEBSTER, A.D.B.

TOIA, R.F. *see* MACPHERSON, J.L.

TUOMI, T. Which antigen to use in the detection of rheumatoid factors? Comparison of patients with rheumatoid arthritis and subjects with 'false positive' rheumatoid factor reactions, 349

TURNER, M. *see* GRUBECK-LOEBENSTEIN, B.

UEKI, Y. *see* MIGITA, K.

UIBO, R., KROHN, K., VILLAKO, K., TAMMUR, R. & TAMM, A. Relation of parietal cell and thyroid antibodies to the state of gastric mucosa and basal serum gastrin levels during a 6-year follow up, 202

UITERDIJK, H.G., DE VREEDE, T.M. & BREEDVELD, F.C. Influence of donor characteristics on responsiveness of mononuclear cells to pokeweed mitogen, 83

UWATOKO, *see* OKAWA-TAKATSUJI, M.

VALETTE, I. *see* CHAVANCE, M.

VAN ES, L.A. *see* HALMA, C.

VAN FURTH, R. *see* HALMA, C.

VANDEBUSSCHE, P. *see* DEVIERE, J.

VESTY, J.P., NORVAL, M., HOWIE, S., MAINGAY, J. & NEILL, W.A. Variations in lymphoproliferative responses during recrudescence of orofacial herpes simplex virus infections, 384

VILLAKO, K. *see* UIBO, R.

VISSER, J.W.M. *see* GRATAMA, J.W.

VRANCKEN, E.R. *see* BOUTIN, Y.

DE VREEDE, T.M. *see* UITERDIJK, H.G.

WAKELIN, D. *see* LAMAS, L.A.

WALSHAUSL, W. *see* GRUBECK-LOEBENSTEIN, B.

WALDMANN, H. *see* KONG, Y.M.

WARRINGTON, R.J., SAUDER, J.P., HOMIK, J. & OPOSU-APPIAH, W. Reversible interleukin-2 response defects in systemic lupus erythematosus, 163

WEBSTER, A.D.B., LEVER, A., SPICKETT, G., BEATTIE, R., NORTH, M. & THORPE, R. Recovery of antibody production after HIV infection in 'common' variable hypogammaglobulinaemia, 309

WEETMEN, A.P., COHEN, S.B., OLEESKY, D.A. & MORGAN, B.P. Terminal complement complexes and C1/C1 inhibitor complexes in autoimmune thyroid disease, 25

WELHAUSEN, S.R. *see* HERSMANN, M.J.

WICHER, K. *see* WICHER, V.

WICHER, V., ZABECK, J. & WICHER, K. Kinetics of pathogen-specific humoral response in *Treponema pallidum*-infected young and old inbred strain 2 guinea pigs, 144

WIGZELL, H. *see* KABIR, S.

WILLIAMS, M.L., LOUGHRAN, T.P. JR, KIDD, P.G. & STARKEBAUM, G.A. Polyclonal proliferation of activated suppressor/cytotoxic T cells with transient depression of natural killer cell function in acute infectious mononucleosis, 71

WILLIAMS, W. *see* LE PAGE, S.H.

WINROW, V.R. *see* MCLEAN, I.L.

WU, J., LEVY, E.M. & BLACK, P.H. 2-Mercaptoethanol and n-acetylcysteine enhance T cell colony formation in AIDS and ARC, 7

WYBRAN, J. *see* DEVIERE, J.

YAMAKI, K. *see* HIROSE, S.

YAMASHITA, W., MACCARTHY, E.P., HSU, A., GARTSIDE, P.S. & OOI, B.S. The effect of transforming growth factor-beta on mouse mesangial cell proliferation, 285

YOKOHARI, R. *see* OKAWA-TAKATSUJI, M.

YOSHIDA, K. *see* HIROKAWA, M.

YOSHIKAI, Y. *see* OHGA, S.

YOSHINAGA, K. *see* SASAKI, T.

YOUNG, E.T. *see* DEVEY, M.E.

ZABEK, J. *see* WICHER, V.

ZEEVI, A. *see* COLSON, Y.L.

## Subject Index

- $\alpha$ -difluoromethylornithine, 151
- AIDS, 1, 7
- Activation, B cell, 31
- Activation, T cell, 289
- Adherence, 356
- Adherence, lymphocyte, 206
- Adrenal cortex, 101
- Ageing, 101
- Aggregates, IgG, 356
- Albumin, 440
- Alcoholic liver cirrhosis, 221
- Alloreactive T cells, 206
- Alloreognition, 206
- Alveolar macrophages, 281
- Alveolar type II cells, 281
- Anti-DNA antibodies, 37
- Anti-ssDNA antibodies, 403
- Antibodies, 15, 215
  - anti-DNA, 37
  - anti-ssDNA, 403
  - monoclonal, 117, 257, 331, 428, 440
  - parietal cell, 202
  - specific, 144
  - thyroid microsomal, 202
  - to HIV, 1
- Antibody, 11
- Antibody affinity, 191, 269
- Antibody-dependent cellular toxicity, 58
- Antibody responses, 294
- 7F7-antigen, 234
- Antigen purification, 373
- Antigen receptor, T cell, 130
- Antigen, S, 106
- Antigens, 378
  - HLA, 206
  - Ia, 281
  - minor histocompatibility, 434
  - p24, HIV, 1
  - thymus-independent type 2, 445
- Arthritis, 52
- Arthritis, rheumatoid, 47, 175, 349
- Autoantibodies, 191, 230
- Autoimmune, 117
- Autoimmune disease, 124
- Autoimmune disease, experimental, 422
- Autoimmune thyroiditis, 196, 428
- Autoimmune thyroid disease, 191
- Autoimmunity, 101, 130, 175, 324
- Autotransplantation, 445
- B cell activation, 31
- B cell function, 239
- B cell suppression, 124
- B cells, CD5<sup>+</sup>, 175
- Bile, 215
- Binding factor, 157
- Blast cells, 83
- c-myc gene, 157
- C1/C1 inhibitor complex, 25
- CD5<sup>+</sup> B lymphocytes, 179
- CD5<sup>+</sup> B cells, 175
- CD8 lymphocytes, 77
- CFU-GM, 43
- Cancer, 58, 299
- Capillary localization, 275
- Cat, 440
- Cell-mediated immunity, 384
- Cell proliferation, 299
- Cell surface proteins, 47
- Cells
  - alveolar type II, 281
  - blast, 83
  - endothelial, 206
  - mast, 391
  - mononuclear, 83, 124, 128
  - natural killer, 263
  - polymorphonuclear, 356
  - T4<sup>+</sup>, 379
- Cellular toxicity, antibody-dependent, 58
- Charge, 211
- Chronic lymphocytic leukaemia, 239
- Cirrhosis, 221
- Clearance, *in vivo*, 112
- Cocaine, 289
- Coeliac disease, 345
- Colony-forming cells, T cell, 7
- Complement, 25
- Complement complex, terminal fluid-phase, 112
- Complexes, immune, 15
- Complexes, low-affinity, 275
- Concanavalin A, 378
- Conjunctiva, 367
- Cross-reactive lymphocytes, 314
- Cyclosporin A, 151, 184
- Cystic fibrosis, 52
- Cytokines, 97, 324
- Cytolytic, 151
- Cytomegalovirus, 245
- DTH *see* Delayed-type hypersensitivity, 226
- Decidua, human, 263
- Delayed-type hypersensitivity, 226
- $\alpha$ -difluoromethylornithine, 151
- Disease
  - and HLA, 417
  - autoimmune, 124
  - experimental, 422
  - thyroid, 191
  - coeliac, 345
  - Graves', 21, 25
- DNA flow cytometry, 299
- Dog, 440
- EAT *see* Experimental autoimmune thyroiditis
- EDF *see* Eosinophil-differentiating factor
- ELISA, 373, 403
- Endothelium, 356
- Endothelial cells, 206
- Enzyme immunoassay, 349
- Eosinophils, 137
- Eosinophil-differentiating factor, 137
- Experimental autoimmune thyroiditis, 428
- Ferritin-bearing lymphocytes, 257
- Fever, 361
- Filiariasis, lymphatic, 77
- Flow cytometry, 245
- Follow-up studies, 202
- $\gamma\delta^+$  T cells, 175
- Gastrin, serum, 202
- Gastric mucosa, 202
- Genes, lpr, 24
- Genetic variation, 137

- Gluten, 345  
 Glycoproteins, 378  
 Graft-versus-host reactions, 434  
 Granulated lymphocytes, 263  
 Graves' disease, 21, 25  
 Guinea pigs, 144
- HIV infection, 309  
 HIV p24 antigens, 1  
 HIV reaction, 289  
 HLA, 11  
 HLA and disease, 417  
 HLA antigens, 206  
 HLA-B27, 417  
 HLA-DR, 67  
 HTLV-I, 11  
 Haemophilia, 1  
 Hashimoto's thyroiditis, 25  
 Healthy subjects, 403  
 Herpes simplex virus, 384  
 Heterogeneity, 97  
 Human decidua, 263  
 Hypogammaglobulinaemia, 309
- <sup>125</sup>I-labelled IgG aggregates, 62  
 ICAM-1 *see* Intercellular adhesion molecule-1  
 IL-2-activated killer cells, 196  
 Ia antigens, 281  
 IgA, 211  
 IgA nephropathy, 15, 211  
 IgG, 83  
 IgG aggregates, 356  
 IgG aggregates, <sup>125</sup>I-labelled, 62  
 IgG subclass, 191  
 IgM rheumatoid factor, 179  
 Immune complexes, 15  
 Immunity, cell-mediated, 384  
 Immunization, 215  
 Immunization, passive, 331  
 Immunoblot, 373  
 Immunocytochemistry, 101, 299, 445  
 Immunodominant epitopes, 168  
 Immunoglobulins, 215, 338  
 Immunoglobulin synthesis, 245  
 Immunomodulation, 289  
 Immunomodulators, 319  
 Immunopathology, 367  
 Immunoregulation, 319  
 Immunosuppression, 252, 257  
 Immunotherapy, 428  
 Immunotoxicology, 294  
 Infection, HIV, 309  
 Infection, *Schistosoma mansoni*, 230  
 Infections, recrudescence, 384  
 Infectious mononucleosis, 71  
 Inflammation, ocular, 367  
 Inhibitor, 89  
 Inhibitor complex, C1/C1, 25  
 Intercellular adhesion molecule-1, 234  
 Interferon, 67  
 Interferon-gamma, 47, 379  
 Interleukin-1, 89, 281  
 Interleukin-2, 151, 163, 252, 319  
 Interleukin-2 receptor, 184, 252, 345, 410  
 Interleukin-2 suppression, 410  
 Interleukin-3, 137  
 Interleukin-4, 31  
 Interleukin-5, 137  
 Interleukin-6, 31, 221  
*In vivo* clearance, 112  
 Iris, 367  
 Isoferritin, placental, 257
- Keratin, 230
- Kidney, 285  
 Killer cells, IL-2-activated, 196
- Large granular lymphocytes, 71  
 Leucocyte function-associated antigen-1, 234  
 Leukaemia, chronic lymphocytic, 239  
 Limiting dilution, 163  
 Low-affinity complexes, 275  
 lpr genes, 124  
 lpr mice, 130  
 Lymphatic filariasis, 77  
 Lymphocyte  
   adherence, 206  
   mitogenesis, 294  
   phenotype, 77  
   proliferation, 106  
   subpopulation, 245  
 Lymphocytes  
   CD8, 77  
   cross-reactive, 314  
   ferritin-bearing, 257  
   granulated, 263  
   large granular, 71  
 Lymphocytotoxicity, 314  
 Lymphokines, 89  
 Lymphokines, T-cell derived, 434  
 Lymphomas, non-Hodgkins, 234  
 Lymphomas, 299
- MHC *see* Major histocompatibility complex  
 Macrophages, 338  
 Macrophages, 47  
 Macrophages, 285  
 Macrophages, alveolar, 281  
 Major histocompatibility complex, 21, 417  
 Mapping, 440  
 Marginal zone, 445  
 Mast cells, 391  
 Mastocytosis, 391  
 2-Mercaptoethanol, 7  
 Mice, lpr, 130  
 Mice, 445  
 Minor histocompatibility antigens, 434  
 Mixed lymphocyte reaction, 434  
 Monocytes, 37, 67, 97, 403, 410  
 Monoclonal antibodies, 117, 257, 331, 428, 440  
 Mononuclear phagocyte system function, 62  
 Mononuclear cells, 83, 124  
 Mononucleosis, infectious, 71  
*Mycobacterium leprae*, 226  
*Mycobacterium tuberculosis*, 373, 378
- n*-acetylcysteine, 7  
*N*-ethyl-*N*-nitrosourea, 294  
 NK cells *see* Natural killer cells  
 Natural killer cells, 263, 410  
 Nephritis, 285  
 Nephropathy, IgA, 15, 211  
 Neutrophils, 58  
 Non-Hodgkin lymphoma, 234  
 Nucleolar organizer regions (NORs), 299
- Obese strain chicken, 117  
 Ocular inflammation, 367  
 Onchocerciasis, 367
- PAF *see* Platelet-activating factor  
 PP14 *see* Placental protein 14  
 Parietal cell antibodies, 202  
 Passive immunization, 331  
 Pathogenesis, 428  
 Peripheral blood, 43  
 Phenotype, lymphocyte, 77  
 Pinealitis, 106



- Placental isoferitin, 257  
Placental protein 14, 252  
*Plasmodium falciparum*, 361  
Platelets, 285  
Platelet-activating factor, 391  
Pokeweed mitogen, 83  
Polyamines, 151  
Polymorphism, restriction fragment length, 21  
Polymorphonuclear cells, 356  
Pregnancy, 257  
Primates, 106  
Proliferation, 83  
Proliferation, T lymphocyte, 168  
Proteins, cell surface, 47  
Proteins, urinary, 89  
  
Recrudescence infections, 384  
Regulation, 245  
Restriction fragment length polymorphism, 21  
Rheumatoid arthritis, 47, 175, 349  
Rheumatoid factor, 52, 349, 403  
Rheumatoid factor, IgM, 179  
Ribonucleoproteins, soluble, 168  
  
S antigen, 106  
SLE *see* Systemic lupus erythematosus  
*Schistosoma mansoni* infection, 230  
Secretion, 97  
Serum gastrin, 202  
Sialoglycoproteins, 89  
Side effects, 338  
Silicosis, 281  
Sjögren's syndrome, 175  
Soluble ribonucleoproteins, 168  
Specific antibodies, 144  
Spleen, 445  
Splenectomy, 62  
*Staphylococcus aureus* Cowan I, 179  
*Streptococcus mutans*, 331  
Suppression, B cell, 124  
Suppression, interleukin-2, 410  
Suppressor T lymphocytes, 384  
Syndrome, Sjögren's, 175  
Syphilis, 144  
  
Systemic lupus erythematosus, 31, 37, 43, 157, 163, 168, 319  
  
T cell activation, 184, 289  
T cell antigen receptor, 130  
T cell colony-forming cells, 7  
T cell depletion, 428  
T cell subsets, 422  
T cells, 269  
T cells, alloreactive, 206  
T cells,  $\gamma\delta^+$ , 175  
T lymphocytes, 151  
T lymphocyte proliferation, 168  
T lymphocytes, 101, 345, 384  
T lymphocyte subsets, 384  
T-cell derived lymphokines, 434  
T-cell receptor, 21  
T4+ cells, 379  
TNF *see* Tumour necrosis factor  
Tellurium compounds, 319  
Terminal fluid-phase complement complex, 112  
Tetanus, 215  
Thymus-independent type 2 antigens, 445  
Thyocytes, 196  
Thyroglobulin, 21, 117, 191  
Thyroid, 324  
Thyroid microsomal antibodies, 202  
Thyroiditis, autoimmune, 196, 428  
Thyroiditis, Hashimoto's, 25  
Transforming growth factor-beta, 285  
Trauma, 67  
*Treponema pallidum*, 144  
*Trichinella spiralis*, 137  
Tuberculin, 225  
Tumour necrosis factor, 361  
  
Urinary proteins, 89  
Uveitis, 106  
Uveoretinitis, 422  
  
Vasculitis, 124  
Vimentin, 230  
Volunteers, 62  
  
Zinc deficiency, 269